

## Safety data sheet according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Ultimate Top Coat
- **Registration number** Mixture
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC9a Coatings and paints, thinners, paint removers
- **Application of the substance / the mixture**  
Coating  
Surface treatment product.
- **Uses advised against**  
Processes involving extreme heat use advised against.  
Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).  
Any use involving aerosol formation or vapour release in excess of the assigned WEL where workers are exposed without suitable RPE.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Coval Technologies  
12811 Royal Drive, Suite 110  
Stafford, TX 77477  
USA  
Tel: +1 281 566 4277  
email: rcrowe@covaltechnologies.com
- **Further information obtainable from:** Product safety department.
- **Emergency telephone number:** Kuwait Ministry of Health hotline - Tel: 151

### 2 Hazards identification

- **Classification of the substance or mixture**



flame

Flam. Liq. 2

H225 Highly flammable liquid and vapour.



Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.

STOT SE 3

H336 May cause drowsiness or dizziness.

- **Label elements**
- **GHS label elements**  
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms** GHS02, GHS07
- **Signal word** Danger
- **Hazard statements**  
Highly flammable liquid and vapour.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.

(Contd. on page 2)

KW

## Safety data sheet according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 1)

- **Precautionary statements**
  - Keep out of reach of children.
  - Keep away from heat/sparks/open flames/hot surfaces. No smoking.
  - Do not breathe dust/fume/gas/mist/vapours/spray.
  - Wear protective gloves/protective clothing/eye protection/face protection.
  - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.
- **Other hazards**
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

540-88-5	tert-butyl acetate ☠ Flam. Liq. 2, H225	25–50%
79-20-9	methyl acetate ☠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336; Acute Tox. 5, H303	20–25%
67-63-0	Isopropanol ☠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336; Acute Tox. 5, H303	2.5–<10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
  - Immediately wash with water and soap and rinse thoroughly.
  - If skin irritation continues, consult a doctor.
- **After eye contact:**
  - Check for and remove any contact lenses.
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
  - Do not delay!
  - Do not induce vomiting; call for medical help immediately.
  - If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

## Safety data sheet according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.  
Vapours can travel to a distant source of ignition and flash back.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.  
Do not inhale explosion gases or combustion gases.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Particular danger of slipping on leaked/spilled product.  
Keep ignition sources away - no smoking.  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow to penetrate the ground/soil.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.  
Welding and other hot work operations in the work area must only be permitted under supervision.  
Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

**Safety data sheet**  
according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 3)

- Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
  - Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
  - Prevent any seepage into the ground.
  - Store in a cool location.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**
  - Store in a banded area.
  - Keep container tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.
- **Storage class:** 3
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**540-88-5 tert-butyl acetate**

PEL (USA)	Long-term value: 950 mg/m <sup>3</sup> , 200 ppm
REL (USA)	Long-term value: 950 mg/m <sup>3</sup> , 200 ppm
TLV (USA)	Short-term value: 150 ppm Long-term value: 50 ppm
WEL (Great Britain)	Short-term value: 1210 mg/m <sup>3</sup> , 250 ppm Long-term value: 966 mg/m <sup>3</sup> , 200 ppm

**79-20-9 methyl acetate**

PEL (USA)	Long-term value: 610 mg/m <sup>3</sup> , 200 ppm
REL (USA)	Short-term value: 760 mg/m <sup>3</sup> , 250 ppm Long-term value: 610 mg/m <sup>3</sup> , 200 ppm
TLV (USA)	Short-term value: 250 ppm Long-term value: 200 ppm
WEL (Great Britain)	Short-term value: 770 mg/m <sup>3</sup> , 250 ppm Long-term value: 616 mg/m <sup>3</sup> , 200 ppm

**67-63-0 Isopropanol**

PEL (USA)	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL (USA)	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV (USA)	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4

(Contd. on page 5)

## Safety data sheet according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 4)

WEL (Great Britain)	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm Long-term value: 999 mg/m <sup>3</sup> , 400 ppm
---------------------	--

**· Ingredients with biological limit values:**

**67-63-0 Isopropanol**

BEI (USA)	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----------	---

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Do not eat or drink while working.
- Take note of assigned Workplace Exposure Limits.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.  
Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.  
If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

· **Protection of hands:**



Protective gloves.  
Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles conforming to EN166.

· **Body protection:**

Solvent resistant protective clothing

(Contd. on page 6)



## Safety data sheet according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 5)

Body protection must be chosen depending on product properties, activity and possible exposure.

### 9 Physical and chemical properties

**· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:** Fluid**Colour:** Clear**· Odour:** Solvent like**· Odour threshold:** Not determined.**· pH-value:** Not determined.**· Change in condition****Melting point/freezing point:** Undetermined.**Initial boiling point and boiling range:** Undetermined.**· Flash point:** -10 °C**· Flammability (solid, gas):** Highly flammable.**· Auto-ignition temperature:** >250 °C**· Decomposition temperature:** Not determined.**· Ignition temperature:** Product is not self-igniting.**· Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.**· Explosion limits:****Lower:** 2 Vol %**Upper:** 16 Vol %**· Vapour pressure at 20 °C:** 220 hPa**· Density:** Not determined.**· Relative density** Not determined.**· Vapour density** Not determined.**· Evaporation rate** Not determined.**· Solubility in / Miscibility with water:**

Fully miscible.

**· Partition coefficient: n-octanol/water:** Not determined.**· Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**· Solvent content:****VOC (EC)** 69.00 %

(Contd. on page 7)

-KW-

## Safety data sheet according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 6)

· **Other information**

NOTE: The physical data presented above are typical values and should not be construed as a specification.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Strong oxidising agents.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Metal oxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

**ATE (Acute Toxicity Estimates)**

Oral	LD50	>10,103 mg/kg
------	------	---------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Will defat and dry the skin.  
Frequent or prolonged contact may irritate and cause dermatitis.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation**  
No sensitising effects known.  
Based on available data, the classification criteria are not met.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** The organic portion of the product is biodegradable.

(Contd. on page 8)



## Safety data sheet according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 7)

- **Behaviour in environmental systems:**
- **Bioaccumulative potential** Product is not expected to bioaccumulate.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Recommended Hierarchy of Controls:
  - Minimise waste;
  - Reuse if not contaminated;
  - Recycle, if possible; or
  - Safe disposal (if all else fails).Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Contact waste processors for recycling information.  
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.
- **Uncleaned packaging:**
- **Recommendation:**  
Do not mix with other waste streams.  
Container remains hazardous when empty. Continue to observe all precautions.  
Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

- |                                  |   |
|----------------------------------|---|
| · <b>UN-Number</b>               |   |
| · <b>ADR, IMDG, IATA</b>         | UN1139  |
| · <b>UN proper shipping name</b> |   |
| · <b>ADR</b>                     | UN1139 COATING SOLUTION, special provision 640D |
| · <b>IMDG, IATA</b>              | COATING SOLUTION                                |

(Contd. on page 9)

-KW-



**Safety data sheet**  
according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 8)

· **Transport hazard class(es)**

· **ADR, IMDG, IATA**



· **Class** 3 Flammable liquids.  
· **Label** 3

· **Packing group**

· **ADR, IMDG, IATA** II

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Flammable liquids.

· **Hazard identification number (Kemler code):** 33

· **EMS Number:** F-E,S-E

· **Stowage Category** B

· **Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

· **Transport/Additional information:** Not dangerous according to the above specifications.

· **ADR**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

· **Transport category** 2

· **Tunnel restriction code** D/E

· **IMDG**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 1139 COATING SOLUTION, 3, II

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms** GHS02, GHS07

· **Signal word** Danger

· **Hazard statements**

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

(Contd. on page 10)

## Safety data sheet according to the globally harmonized system

Printing date 19.05.2023

Version number 3

Revision: 19.05.2023

**Trade name: Ultimate Top Coat**

(Contd. of page 9)

**· Precautionary statements**

Keep out of reach of children.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.**· Directive 2012/18/EU****· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· Seveso category** P5c**· Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t**· Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t**· National regulations:****· Information about limitation of use:**

Class	Share in %
NK	69.0

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

H225 Highly flammable liquid and vapour.

H303 May be harmful if swallowed.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**· Contact:****· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 5: Acute toxicity – Category 5

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3